

Product Specification

Product Type: LED Poster Display

Model: P-P2542-072

Document Version: V1.2



1. Product features

- 1) Frame-free installation;
- 2) 2-in-1 integrated circuit board design reduces internal wiring and improves reliability;
- 3) Highly integrated all-in-one display device, plug and play;
- 4) Full front maintenance, hot-swappable, for fast maintenance;
- 5) Flexible movement of single floor display, seamless splicing of multiple displays;
- 6) Connection by WiFi / Ethernet cable for rapid release of information at PC end, intelligent and easy to operate;
- 7) Program release and display control via various user terminals such as PC, mobile phone and Pad
- 8) The device does not produce sound and needs to be connected to a speaker.
- 9) Sync and async dual mode.

2. Product parameters

Machine parameters	Size	72 inches
	Spacing	1.53GOB / 1.86GOB / 2.5mm
	Resolution	240×675
	Overall dimensions (W × H)	640×1910 mm (including base)
	Display size (W×H)	640×1760mm
	Screen thickness	33.5mm
	Weight of the whole screen	38kg (excluding base)
	Recommended sight distance	≥1.53m ≥1.86m ≥2.5m
	Maintenance mode	Front maintenance
Optical parameters	Brightness	800cd/m ²
	Refresh rate	3840Hz
	Gray scale	13bit
	Contrast	6500:1
	Color temperature	6500~9300K (adjustable)
	Viewing angle	160° horizontal, 160° vertical
Electrical parameters	Operating voltage	100~240VAC 50/60Hz
	Average power consumption of the machine	210W

	Maximum power consumption of the machine	600W
System parameters	CPU	4-core A55 ARM processor running at 1.8GHz
	Video decoding	Support H.264, H.2654K @ 60Hz
	RAM	1GB
	Storage memory	16GB
	Media format	Support MPEG1, MPEG2, MPEG4, WMV, MKV, TS, FLV and other mainstream video formats;
Environmental parameters	Operating temperature	-10℃—40℃
	Storage temperature	-10℃~60℃
	Operating humidity	10%~80% RH non-condensing
	Storage humidity	10%~85% RH non-condensing

*1. The content of this specification may be adjusted and revised in real time without prior notice to provide as accurate specification parameters as possible

2. This product is an indoor product. It is strictly prohibited to use it in direct sunlight

3. In order to ensure long-term and more uniform display effect, do not play fixed images for a long time

4. Special Statement

- ◆ Intellectual Property Declaration: The hardware design and software program of this product are protected by copyright. Reproduction of this product and the contents of the manual without our authorization will be subject to corresponding legal liability.
- ◆ The contents and pictures in this manual are for reference only and do not constitute any kind of commitment.
- ◆ The company reserves the right to modify and change the appearance design of the product without prior notice.
- ◆ Note: HDMI, HDMI High Definition Multimedia Interface, and the HDMI logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.